			/ ,	/ ,	/ ,	/ ,	/ ,	/
			/		/			- 31
	MI	16	No		caine He	roin Ry	/32	rijuanar
Review Items A. Documentation	/ W.		N		<u> </u>	/ W	, W	
Drug Receipt								
Control card								
Envelope								
B. Preliminary Test								
Balance Check	•••••				***************************************			
Negative Control Check								
Color Test Results								
Crystals								
UV-Vis								
GC #								
HPLC								
Macroscopic								
Microscopic								
Micromedex Match								
Literary Search Match								
Calculations								
Net Weight								
C. Confirmatory Test								
Instrument								
GC/MS #								
Tune Present & Accepted								
QC Mix Present & Accepted								
Sequence Setup								
Opening Standard/s Present & Accepted								
Closing Standard/s Present & Accepted								
Blank/s								
MS Control Sheet Present								
Blank/s								
Retention Time Acceptance								
Library Search > 90%								
Spectral Interpretation Match								
LC/MS/MS#								
Tune Present & Accepted								
QC Mix Present & Accepted								
Sequence Setup								
Opening Standard/s Present & Accepted								
Closing Standard/s Present & Accepted								
Blank/s								
MS Control Sheet Present								
		1				 		
Blank/s Retention Time Acceptance								

Spectral Interpretation Match				
IR #				
Internal Polystyrene Present & Accepted				
QC Present & Accepted				
Blank/s				
Library Search				
Spectral Interpretation Match				
D. Reporting				
Control Card				
Certificate of Analysis				

dentification of Substance:	

						_		_			
			$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	annabis eroids	$\overline{}$
								lucinoge Ma	NS /	annal	
		/ ,	/ ,	/ ,	piates St	mulants	pressant	cinogle	Manal	ids /	ialants 0
Review Items	N	A Ye	S NO	0	piate Sti	mur De	Die 145	Mr. Ms	riju	erole int	lalants
A. Documentation		.	()	•••••	<u> </u>		·	•••••			
Drug Receipt		*************	*************	300000000000000000000000000000000000000	****************	*************	100000000000000000000000000000000000000	*************	************	400000000000000000000000000000000000000	
Control card										+	
Envelope										+	
Litvelope										+	
B. Preliminary Test											
Balance Check			<u> </u>	1						***************************************	*************
Negative Control Check											
Color Test Results										+	
Crystals											
UV-Vis		+	1		+						
GC #		+								+	1
HPLC										+	
Macroscopic		+	+			 	 	<u> </u>		+	1
Microscopic		+	+				 	<u> </u>		+	
Microscopic Micromedex Match		+	+				 			+	1
Literary Search Match			 						-	-	
Calculations		+	-	-	1				-	+	
Net Weight										+	
vet vveignt			1	1						+	
C. Confirmatory Test			<u> </u>		<u> </u>						
Instrument											
GC/MS #											
Tune Present & Accepted		**************	***************************************	***************************************	***************************************			***************************************	***************************************	100000000000000000000000000000000000000	
QC Mix Present & Accepted											
Sequence Setup											
Opening Standard/s Present & Accepted			1								
Closing Standard/s Present & Accepted			1								
Blank/s		1	1	<u> </u>					<u> </u>	+	
MS Control Sheet Present										+	
Blank/s										+	
Retention Time Acceptance										+	
Library Search > 90%										+	
Spectral Interpretation Match										+	
LC/MS/MS #			<u> </u>	 				! :	<u> </u>		
Tune Present & Accepted		***************************************	***************************************	***************************************	***************************************			3	***************************************		
QC Mix Present & Accepted										+	
Sequence Setup		+	1		1	 	-			+	-
Sequence Setup Opening Standard/s Present & Accepted		+	1				-	-		+	1
		+	+			1	-			+	-
Closing Standard/s Present & Accepted		+	+		-	<u> </u>	-	-		+	-
Blank/s		1	1		1	 	-	-		+	1
MS Control Sheet Present		1				<u> </u>	-				1
Blank/s		1				<u> </u>					
Retention Time Acceptance		1								—	
Library Search > 90%											<u> </u>

Spectral Interpretation Match						
IR #						
Internal Polystyrene Present & Accepted						
QC Present & Accepted						
Blank/s						
Library Search						
Spectral Interpretation Match						
D. Reporting						
Control Card						
Certificate of Analysis						
			The state of the s			

dentification of Substance:	
acritimodilon or odbatanec.	